



1/5/09 2851

**IN THE
UNITED STATES
PATENT AND TRADEMARK OFFICE**

IN RE APPLICATION OF: Gellrich et al.

SERIAL NO.: 10/565,612

FILED ON: January 23, 2006

DOCKET NO.: OST-051293

**RESPONSE TO OFFICE
ACTION MAILED
October 30 4, 2008**

FOR: MICROLITHOGRAPHIC
PROJECTION EXPOSURE
APPARATUS AND METHOD
FOR INTRODUCING AN
IMMERSION LIQUID INTO
AN IMMERSION SPACE

Mail Stop Amendment
COMMISSIONER
FOR PATENTS
P.O. Box 1450
Alexandria VA 22313-1450

ATTENTION OF: Kim, Peter B.

EXAMINER: A.U. 2851

Dear Examiner Kim:

Applicant submits the following Reply to the Office Action mailed October 30, 2008. Included with this response is certified English translation of priority document German Patent Application No. 103 33 644.3, which was filed on July 24, 2003. Please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 3 of this paper.

FACTOR & LAKE, LTD.
1327 W. Washington Blvd
Suite 5G/H
Chicago, IL 60607
(312) 226-1818 Telephone
(312) 226-1919 Facsimile

**Jody L. Factor
Micheal D. Lake
Joseph M. Kinsella Jr.**

**34157
33727
45743**